

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services – I & CAD Department - Disciplinary action initiated under Rule 20 of APCS (CC&A) Rules, 1991 against Sri L. Chakradharam, Executive Engineer (U/s), Drainage Division, Gudivada, Krishna district and 3 other engineers (U/s) for the irregularities in the works of drain dredging in Pedalanka major drain at KM 5.500 to KM +4.50 in Kruthivenu and Kaikaluru Modernisation of Krishna District – Appointment of the Engineer-in-Chief (ISPP) Dowlaiswaram as Inquiring Officer - Orders - Issued.

=====

IRRIGATION & CAD (Ser. X-2) DEPARTMENT

G.O.Rt.No. 1180

Dated: 26 -10-2012

Read the following:

1. G.O.Rt.No.938, I & CAD(Ser.X.2) Department, dt. 29.08.2012
2. From the CE, Krishna Delta System, Vijayawada, letter No. CE/KDS/VJA/ Supdt.EC.I, dt. 5.10.2012

<< >>

ORDER:

Whereas, an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against (1) Sri L. Chakradharam, Executive Engineer, (2) Sri Abdul Azeem, Deputy Executive Engineer, (3) Sri S. Umashankar, Assistant Executive Engineer, and (4) Sri S.Ramakrishna Rao, Assistant Executive Engineer, Drainage Division, Gudivada, Krishna district.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said Engineering officials.

3. In the reference 1st read above, Sri D. Sambaiah, i/c. Chief Engineer, Krishna Delta System, Vijayawada, was appointed as Inquiring Authority to inquire into the charges framed against the above said engineering officials.

4. The Chief Engineer, Krishna Delta System, Vijayawada vide reference 2nd read above has informed that being the Chief Engineer in-charge of Modernization of Krishna Delta System, Vijayawada, it may not appropriate to conduct inquiry into the charges framed against the Engineering officials and requested to exempt him from Inquiring Authority for the said subject and issue necessary orders.

5. Government after careful examination of the matter, and in exercise of the powers conferred by sub-rule (2) of rule-20 of the said rule, the disciplinary authority hereby appoints the Engineer-in-Chief, Indira Sagar Polavaram Project, Irrigation & C.A.D. Department, Dowlaiswaram as Inquiring Authority to inquire into the charges framed against the above said engineering officials. The Presenting Officer will produce the other original documents relating to the case before the Inquiring Authority. The Inquiring Authority is requested to conduct the enquiry and submit his report within two months.

Contd.. page. 2.

//2//

6. Sri D. Sambaiah, I/c. Chief Engineer, Krishna Delta System, Vijayawada is requested to send the copies of reports, charge memos and Written Statements of Defense submitted by the Charged Officers and other record pertaining to the inquiry to the Engineer-In-Chief (ISPP), I & CAD Department, Dowlaiswaram & Inquiring Authority.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA
PRADESH)**

SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-In-Chief (ISPP),
I & CAD Department, Dowlaiswaram,
Sri D. Sambaiah, i/c. Chief Engineer ,
Krishna Delta Systems , Vijayawada, Krishna District.
Sri K.L. Narasimhamurthy, i/c. Superintending Engineer,
Vijayawada and the Presenting Officer
The individuals **through** Engineer-In-Chief (Admn.Wing),
Irrigation & CAD Department, Hyderabad.
The Engineer-In-Chief (Admn.Wing),
Irrigation & CAD Dept., Hyderabad .
SC/SF

//FORWARDED: : BY ORDER//

SECTION OFFICER